

workbench

JULY – SEPTEMBER 2026

BE IN TO WIN **A MIG200 3 IN 1** **INVERTER WELDER**

PURCHASE **ANY** ARCOPRO
MACHINE FEATURED IN THIS
ISSUE TO AUTOMATICALLY
GO INTO THE DRAW TO WIN
A MIG200 3 IN 1 INVERTER
WELDER – ARCOMIG200

Regular
Trade Price
\$995



MiMOTION
Motion.co.nz

CONTENTS

 3	 3	 3	 4	 5	 5
 5	 6	 7	 7	 7	 8
 8	 8	 9	 9	 9	 9
 10	 10	 10	 10	 11	 11
 11	 11	 11	 12-13	 14	 15
 16	 16	 17	 18-19	 20	 21
 22-23					

HIKOKI

36V Impact Drill Kit

- 36V 155Nm High Powered Impact Drill (Bare Tool)
- 1x 1080W MULTI VOLT Battery (18V 5.0Ah / 36V 2.5Ah)
- 18V Lithium-Ion Rapid Charger
- System Case included



DV36DC(GPZ) • \$895.85 inc gst

36V/18V Brushless 5 Tool Combo Kit

- 5-Piece Premium Brushless Kit
- Heavy-duty 18V/36V tools
- Supplied in stackable case
- Includes 2x 1080W batteries
- Rapid Smart Charger included



KC18365DA(GRZ) • \$2,271.25 inc gst

36V/18V Brushless 6 Tool Combo Kit

- 6-Piece Premium Brushless Kit
- Heavy-duty 18V/36V tools
- Supplied in heavy-duty tool bag
- Includes 2x 1080W batteries
- Rapid Smart Charger included



KC18366DA(GRZ) • \$2,409.25 inc gst

36V Premium Brushless 3 Tool Combo Kit

- 36V 155Nm High Powered Impact Drill
- 1/2" 770Nm High Torque Impact Wrench
- 36V Brushless 125mm Angle Grinder
- 2x 1080W MULTI VOLT Batteries (BSL36A18X)



KC363DRBL(GRZ) • \$1,834.25 inc gst

36V 770Nm 1/2" MULTI VOLT Impact Wrench Kit

- 36V 770Nm 1/2" Impact Wrench (Bare Tool)
- 1x 1080W MULTI VOLT Battery (18V 5.0Ah / 36V 2.5Ah)
- 18V Lithium-Ion Rapid Charger
- System Case included



WR36DE(GPZ) • \$861.35 inc gst

36V Brushless 125mm High Powered Angle Grinder Kit

- 1,500W max output equivalent grinding power
- Superior dust resistance for longer tool life
- Anti-kickback, brake & restart protection
- Includes 1x 2160W BSL3640MVT MULTI VOLT Battery
- Includes 1x UC36YSL2 Charger



G3613DVF(GTZ) • \$838.35 inc gst

GEARWRENCH

Pry Bar Indexing Extendable

- Rotating head with built-in grooves for secure grip in any environment
- Extends to reach areas inaccessible to shorter tools
- Ideal for demolition, repositioning equipment, industrial work, aligning steel components, or moving engines



KD82220 18" - 29" \$143.75 inc gst \$125
KD82248 29" - 48" \$272.55 inc gst \$237

77Pc SAE & Metric Ratcheting Tap & Die Set

- Includes small tap adaptor, medium tap adaptor, and medium hex die adaptor
- Die adaptor works with round and hex-shaped dies
- Ratcheting T-handles wind dies with a 5° swing arc
- Reversing lever eliminates hand-over-hand turning



KD3887 • \$320.85 inc gst

CRESCENT

Adjustable Wrench

- Laser-etched scale in SAE and Metric for easy fastener size identification
- Larger knurl for tighter jaw fit, easier adjustment, and reduced binding
- Hex jaw design grips fasteners tightly to reduce slippage
- Wider handle improves comfort and reduces fatigue



AC28VS 200mm/8" \$33.93 inc gst \$29.50
AC210VS 250mm/10" \$41.17 inc gst \$35.80
AC212VS 300mm/12" \$48.30 inc gst \$42



Polypropylene Rotary Action Drum Pump

- Rotary turn action pump for 60L & 205L drums
- Suitable for chemicals & AdBlue®



\$169

AL301A • \$194.35 inc gst

2 YEAR WARRANTY

EL Series Trigger Action Grease Gun - 450gm

- 450g grease cartridge trigger action grease gun
- Grease pressures up to 4000psi (276 bar)
- Robust die-cast aluminium head assembly



\$54

ALG10010 • \$62.10 inc gst

1 YEAR WARRANTY

EL Series 55kg Air Operated Grease Kit

- 50:1 pump delivers up to 0.6kg/min
- Compatible with all grease types up to NLGI2
- Durable, high-quality build for reliable performance



\$950

G100155 • \$1,092.50 inc gst

1 YEAR WARRANTY

Rewinda Air reel c/w 12mm x 20m hose

- Industrial quality hose storage & retrieval system
- Gen3 hybrid polymer hose and hose bend restrictors to ensure a long service life for your hose assemblies



\$449

AR1220CAB • \$516.53 inc gst

10 YEAR WARRANTY

530cc Oil Suction Gun

- Samoa oil suction gun
- For emptying & filling gear boxes & differentials
- Metal construction with 530ml capacity



\$52

AL21040 • \$59.80 inc gst

2 YEAR WARRANTY

Lever Action 205L Oil Drum Pump

- Samoa lever action hand operated oil transfer pump
- Self priming gear & engine oil 205L drum pump with hose
- Steel suction tube with 135° angled spout



\$145

AL304600 • \$166.75 inc gst

2 YEAR WARRANTY

Brake Cleaner Spray bottle

- Alemlube brake cleaner fluid sprayer
- 1L capacity with viton seals
- Large filling opening with translucent bottle with level indicator



\$67

AL6603A • \$77.05 inc gst

2 YEAR WARRANTY

Lever Action Grease Gun - 450gm

- Heavy duty reliable and dependable grease gun
- Generates grease pressures of up to 12000psi (828 bar)
- Uses the Ever Flow System and Twin Lock System
- 450g grease cartridge capacity with a 4 jaw coupler and a rigid extension



\$102

AL600A • \$117.30 inc gst

1 YEAR WARRANTY

Manual Waste Oil Extractor 6.5L

- 3 probes to suit various dipsticks & can be used at any angle
- Collects waste oil from vehicles, motorbikes & lawn mowers



\$225

AL41006 • \$258.75 inc gst

2 YEAR WARRANTY



AN AL-KO COMPANY

LED Lighting Kit Twin Pack

- Multi volt submersible LED tail lamp twin pack, left hand tail lamp, right hand with number plate lamp.



\$69

BL150P • \$79.35 inc gst

Safety Chain

- Anti-loss safety chain 400mm, stainless steel shackle with captive anti loss pin rated at 2500 tonne, 1 anti loss insert, 1 mounting washer.



\$39

TE12M91 • \$44.85 inc gst

Multifit Lever Coupling Bonus Coupling Lock

- Multifit coupling fits 1 7/8 and 50mm tow balls, bonus TCL69 coupling lock included.



\$139

614800BXL • \$159.85 inc gst

CM Premium Jockey Wheel 200x50mm

- CM premium 200mm swing up jockey wheel, zinc plated.



\$124

628201 • \$142.60 inc gst

Hub and Stubs Set 1500kg

- CM trailer hubs and stubs set 1500kg, includes bearing and 2 piece triple lip marine seals.



\$179

TE1HS1500-09G55 • \$205.85 inc gst

Spring Kit with U-Bolts

- 1 x pair 1500kg leaf springs, shackles, shackle bolts and nuts, slippers and a U bolt kit.




\$245

TE711500K • \$281.75 inc gst



Truck Wash Concentrate 20L

- Highly concentrated, low-foaming formula
- Non-abrasive and non-corrosive
- Won't scratch or damage surfaces
- Safe for full vehicle use, including tinted screens, fibreglass, metals, rubber, plastics, vinyl, paintwork, and chrome



\$139

SG19480 • \$159.85 inc gst

ENERPAC

Cordless Hydraulic Pump - 2L 3/2 Manual Valve

The XC2-Series pumps take speed, battery run time and oil capacity to new levels greatly expanding the usage opportunities. Capable of larger tool and cylinder applications, cordless convenience can be extended further in the field or facility.



\$6,350

XC2202MA • \$7302.50 inc gst

Industrial Cleaner and Degreaser

- Concentrated formula removes heavy grime while remaining suitable for ongoing maintenance (MPI C32)
- Cleans, degreases, and deodorises all washable/water-safe surfaces
- Ideal for mining, manufacturing, automotive, and other industries



From **\$25.90**

SG13003 4L \$29.79 inc gst **\$25.90**
SG13004 20L \$182.85 inc gst **\$159**

MRO Maintenance Kits

- One set for many applications
- Organised and secured set



From **\$3,999**

SC05HTBE 5T \$4,598.85 inc gst **\$3,999**
SC10HTBE 10T \$5,635 inc gst **\$4,900**
SC20HTBEW 20T \$10,005 inc gst **\$8,700**

LOCTITE®

Blue Threadlocker Stick - Medium Strength (248)

Easy-to-apply, semi-solid stick for locking and sealing threaded assemblies. Ideal for vertical and overhead applications.

- Non-drip stick format
- Prevents fastener loosening in vibrating assemblies e.g. pumps, gear boxes, presses

\$45



LOC248-19G • \$51.75 inc gst

Red Threadlocker Stick - High Strength (268)

Semi-solid stick for permanently locking and sealing threaded assemblies. Ideal for vertical and overhead use.

- Convenient, non-drip stick format
- Prevents fastener loosening on vibrating assemblies, e.g. pumps, gear boxes, presses

\$45



LOC268-19G • \$51.75 inc gst

569 Threadsealant Low Strength - Fast Cure - Hydraulic

1-part low-viscosity thread sealant that prevents loosening and leakage in metal hydraulic fittings caused by shock and vibration. Contains no clogging fillers.

- Low disassembly strength
- Prevents loosening and leakage due to shock and vibration

\$53



LOC569-50 • \$60.95 inc gst

SI 5331 Threadsealant - Low Pressure - Plastic Fittings

Low-strength, medium-viscosity adhesive for sealing plastic and metal fittings in hot or cold water systems.

- WRC-listed and meets BS 6920 and EN 751-1. DVGW approved.
- Works on metal or plastic

\$32⁵⁰



LOC5331-100ML • \$37.38 inc gst

SI 5900 Silicone Black - Pressure Pack

Moisture-cured, heavy-bodied silicone flange sealant with excellent oil and movement resistance. Withstands in-line low-pressure testing before curing.

- Adheres to metal, plastics, glass, ceramics
- Gap fill up to 6,35 mm

\$51⁵⁰



LOC5900-198G • \$59.23 inc gst

609 Retaining Compound - High Strength

1-part high-strength anaerobic retaining compound for bonding cylindrical parts.

- Low viscosity
- Enhances press fits
- Ideal for rotor-to-shaft assemblies in fractional and sub-fractional horsepower motors

\$52⁵⁰



LOC609-50 • \$60.38 inc gst

454 Instant Adhesive - Non-Drip Gel

1-part surface-insensitive, fast-fixturing gel instant adhesive for porous and acidic materials.

- Clear universal gel
- Bonds wood, metals, ceramics, and most plastics, including mixed materials

\$29⁹⁰



LOC454-20 • \$34.39 inc gst

HY 4070 Universal Bonder - Hybrid Adhesive

2-part fast-fixturing cyanoacrylate/acrylic hybrid adhesive for plastics, rubbers, and metals.

- Moisture resistant
- Gap filling up to 5 mm (0.2")

\$49



LOC4070-11 • \$56.35 inc gst

EA E-20HP Epoxy Adhesive - High Performance

2-part structural adhesive with high impact and humidity resistance. Cures at room temperature to form a tough bond line with high peel resistance

- Bonds a variety of substrates including magnets
- Temperature resistance up to 80°C (176°C)

\$49



LOC29314 • \$56.35 inc gst



Hammered 400ml Aerosol Spray Can

Direct to rust metal paint

- Paint directly onto rusty surface without the need for a primer or undercoat
- Fast dry and recoat times means the job can usually be done in a day
- 8 Years Protection
- Hammered finish

\$21⁹⁰



PAIH-040B Black \$25.19 inc gst **\$21.90**
PAIH-040S Silver \$25.19 inc gst **\$21.90**

Smooth 400ml Aerosol Spray Can

Direct to rust metal paint

- Paint directly onto rusty surface without the need for a primer or undercoat
- Fast dry and recoat times means the job can usually be done in a day
- 8 Years Protection
- Smooth finish

\$21⁹⁰



PAIS-040B Black \$25.19 inc gst **\$21.90**
PAIS-040S Silver \$25.19 inc gst **\$21.90**



Air Duster Gun Pistol Grip

Removes dust from equipment with an impact-resistant body, stainless steel spring, seamless air pipe to prevent leaks.

- Operating Pressure: 78-120 PSI
- Max Air Pressure: 160 PSI
- Average Air Consumption: 6.9 CFM
- Air Inlet: 1/4" NPT



From **\$17⁶⁰**

AMPROA1454 100mm \$20.24 inc gst **\$17.60**
AMPROA1456 330mm \$24.73 inc gst **\$21.50**



Air Hammer and 5pc Chisel Kit

Includes 5 pieces: Weld Buster, Cold Chisel, Tapered Punch, and Round Nose Panel.

- Bore Size: 3/4"
- Chisel Shank: 10 mm
- Blows per Minute: 3,200 BPM
- Stroke Length: 67 mm
- Avg. Air Consumption: 4 CFM
- Air Pressure: 90 PSI
- Air Inlet: 1/4" NPT
- Hose Size (ID): 3/8"

\$120



AMPROA3101 • \$138 inc gst



3/8" Inhex Socket Set In Case 9pc

Set Contains:

3012M-52 Inhex Bit Sockets - 3, 4, 5, 6, 7, 8, 10, 12, 14mm

\$109



KOKEN3012M/9 • \$125.35 inc gst

3/8" Inhex Socket Set In Case 9pc

Set Contains:

3012A-52 Inhex Bit Sockets - 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"

\$109



KOKEN3012A/9 • \$125.35 inc gst

3/8" Dr Socket Set 12pt 35pc

- 12pt Metric Sockets: 9-22mm
- 12pt SAE Sockets: 5/16"-7/8"
- Spark Plug Sockets: 16mm, 20.8mm
- 3/8" Drive Ratchet 200mm
- 3/8" Drive Extensions 75mm, 125mm, 250mm
- 3/8" Drive Hinge Bar 250mm
- 3/8" Drive Socket Driver 160mm
- 3/8" Drive Universal Joint
- 3/8" Drive Sliding T-Bar 200mm

\$339



KOKEN3279AM • \$389.85 inc gst

1/2" Inhex Socket Set On Rail 10pc

Set Contains:

4012M-60 Inhex Bit Sockets - 5, 6, 8, 10, 12, 13, 14, 16, 17, 19mm

\$139



KOKEN4012M/10 • \$159.85 inc gst

1/2" Inhex Socket Set In Case 10pc

Set Contains:

4012A-60 Inhex Bit Sockets - 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

\$129



KOKEN4012A/10 • \$148.35 inc gst

lubemate[™] by macnaught

Diesel Nozzle Auto

Suitable for diesel and kerosene in agricultural, industrial, marine, mining and workshop applications.

- Automatic shut-off to prevent overspills and reduce wastage
- Two-position trigger lock for controlled flow rate



NEW

From
\$285

L-SFNAD120 120LPM Slim \$327.75 inc gst **\$285**
L-FNAD200 200LPM High flow \$412.85 inc gst **\$359**

Air Operated Greasing Kit - 20kg

- Flow rate: 1.1kg/min
- Includes: 2.1m pressure hose, control valve with Z swivel, drum cover & follower plate
- Suitable for greases up to NLGI 2



\$759

L-GK20 • \$872.85 inc gst

Plastic Measuring Jug with Flexible Spout

Supplied with polyethylene flexible spout with cap and polypropylene lid



From
\$19


L-J2L 2L \$21.85 inc gst **\$19**
L-J6L 6L \$44.85 inc gst **\$39**

m macnaught

Suction Gun - 500ml

Transfers new or used oils in enclosed gearboxes, differentials, transfer cases, and engine sumps. Ideal for field top-ups and extraction; handles oils up to SAE 90.

- Steel barrel for durability
- 30mm delivery tube for hard-to-reach access



\$49

C16-01 • \$56.35 inc gst

Air Operated Dual Action Grease Gun 450g

Air-operated dual-action 450g grease gun with 750mm flex hose and KY coupler.

- Switchable: continuous flow or single shot
- Output pressure: up to 6000 psi
- Continuous delivery: up to 400 g/min
- Single shot output: 0.9 g



\$309

K57-01 • \$355.35 inc gst

BOP 60/205L AdBlue/DEF Starter Kit

Suitable for DEF/urea, engine oil, gear oil, hydraulic oil (up to SAE 140), ATF and engine coolant.

- Up to 200L per charge
- Suits 60-205L drums



\$699

BP205S-DUNA • \$803.85 inc gst

B2 Booster Gun

Suitable for air-powered greasing equipment, standard with P3 POWERLUBE P6 and P8-11 MAXILUBE systems. The B2-01 includes a ZSB high-pressure grease swivel.

- High-pressure delivery for air-powered grease pumps
- Overcomes line resistance and blocked nipples
- 1/4" NPT(F) inlet



\$189

B2-01 • \$217.35 inc gst

Multi-Purpose Gear Oil Pump - 20L

For mineral oils up to SAE 140. Includes three 15-25L bung adapters, 1.8m hose, spout, manual non-drip shut-off nozzle, and nozzle holder.

- Delivers up to 100ml per down stroke
- Spout, built-in holder, and manual non-drip nozzle to prevent spills



\$149

C7-01 • \$171.35 inc gst

RETRACTA[®] by macnaught

Retracta R3 - 25m x 3/8" Air/Water Reel - Blue Case

Retracta R3 Series hose reel with 3/8" (10mm) 25m blue hybrid air/water hose.

- UV-stabilised, impact-resistant poly case
- Designed and made in Australia

\$419

NEW



AW325B-01 • \$481.85 inc gst

PACIFIC HOISTS

Lever Blocks

- AS/NZS 1418.2 Compliant
- Confidence on every lift with certified safety performance
- Free Wheel + Load Control
- Faster positioning, precise handling under load
- Heavy-Duty "T-Type" Hooks
- Superior load holding integrity (excl. 250 kg model)
- Double Pawl Safety System
- Smooth operation with enhanced load security
- Durable Cast Hand Wheel
- Built to withstand harsh site conditions
- One solution across multiple applications



PLB302	0.25 Tonne	\$251.85 inc gst	\$219.00
PLB305	0.5 Tonne	\$339.25 inc gst	\$295.00
PLB308	800kg	\$442.75 inc gst	\$385.00
PLB316	1.6 Tonne	\$546.25 inc gst	\$475.00

Chain Blocks

- AS/NZS 1418.2 Compliant
- Certified to meet Australian/New Zealand lifting standards
- Enhanced Safety End Stop System
- High-strength end stop with secondary end anchor for added load security
- Heavy-Duty "T-Type" Hooks
- Improved load holding integrity (excl. 250 kg model)
- Optimised Gear System
- Reduced operating effort for smoother, more efficient lifting
- Wide Capacity Range
- Available from 250 kg to 20 tonne for diverse applications
- Built for NZ Conditions
- Reliable performance across multiple applications



PCB303	0.5 Tonne	\$333.50 inc gst	\$290.00
PCB313	1 Tonne	\$385.25 inc gst	\$335.00

GARRICK

Garrick Aluminium Pipe Wrenches

Aluminium Pipe Wrenches – Straight

- Sizes from 14" to 48"
- High strength construction with large capacity jaws and induction hardened teeth to retain sharp edge



PWA-14	14"	\$55.20 inc gst	\$48
PWA-18	18"	\$81.65 inc gst	\$71
PWA-24	24"	\$127.65 inc gst	\$111
PWA-36	36"	\$327.75 inc gst	\$285
PWA-48	48"	\$527.85 inc gst	\$459

Industrial 20mm Bench-Mount Drill Press

- More powerful S1 continuous-duty motor with aluminium housing
- Zero-voltage switch for added safety
- Built-in laser guide
- Keyless chuck
- Safety guard with micro switch and flip-up chuck cover
- Emergency stop switch



BONUS MULTISHARPER	\$849
DB20-I • \$976.35 inc gst	

Industrial 25mm Pedestal-Mount Drill Press

- More powerful S1 continuous-duty motor with durable aluminium housing
- Zero-voltage safety switch
- Integrated laser guide
- Keyless chuck for quick bit changes
- Micro-switch safety guard with flip-up chuck cover
- Emergency stop switch



BONUS MULTISHARPER	\$1,199
DP25-I • \$1378.85 inc gst	

BRAMLEY

Hydraulic Pipe Bender

- Model 024 – 1/2" - 2" N.B.
- Six formers, two bobbins, and pins included
- Flip-top frame for easy replacement
- Spring return ram with bending radius stop
- Two-stage pump action
- Lightweight aluminum formers with wide arc support



024 • \$1489.25 inc gst

Linishall

750W Bench Grinder

- Diamond wheel dresser
- Adjustable plain eyeshields
- Cast metal tool rests
- Adjustable LED work light
- Wide guards for wire wheels
- Shipping 25kg / 0.056m3



LIBG8 • \$401.35 inc gst



Lock Nut Socket Set 4 Pin External - 11pc

- Designed to remove and install 4 pin lock nuts without rounding or damaging edges
- Heavy duty hardened pins provide secure engagement for loosening and tightening
- Specifically designed for external configurations
- Suitable for automotive and industrial service applications
- Manufactured from high strength chrome vanadium steel with a phosphate finish for durability and corrosion resistance

320120 • \$504.85 inc gst



NEW

\$439

Lock Nut Socket Set 4 Pin Internal - 10pc

- Designed to remove and install 4 pin lock nuts without rounding or damaging edges
- Heavy duty hardened pins provide secure engagement for loosening and tightening
- Specifically designed for internal configurations
- Suitable for automotive and industrial service applications
- Manufactured from high strength chrome vanadium steel with a phosphate finish for durability and corrosion resistance
- Supplied in a protective blow moulded storage case

320100 • \$504.85 inc gst



NEW

\$439

Protractor 180° - 100mm

- For accurate angle, depth and length measurements
- 180° along with 100mm rule
- Photographically etched markings for ultimate precision and accuracy
- Deep etched with black chrome plating for long term visibility and service life
- Stainless steel with matt finish which is non-glare and easy to read

301955 • \$47.15 inc gst



\$41

Protractor 180° - 300mm

- Professional stainless steel double blade etched with bold, easy to read graduations
- Essential measuring tool for industrial, automotive, manufacturing, engineering and aerospace work
- Features convenient centre lock nut to secure measurement
- Made in Japan

321110 • \$539.35 inc gst




\$469



Wrecking Bar - Flat Oval

- Crowbar end for leverage and nail pulling
- Chisel end for prying and panel removal
- Flat oval design
- Forged, hardened special tool steel
- Red powder-coated finish
- Made in Germany

276600 600mm \$50.03 inc gst \$43.50
276800 800mm \$59.23 inc gst \$51.50
2761000 1000mm \$86.25 inc gst \$75.00



From \$43.50



125x0.8mm Cutting Disc

Klingspor's thinnest disc. For complete high performance cuts with exceptional precision

- Packaged in an airtight Kronenflex plastic tub

KSCO12508INOX • \$4.01 inc gst



\$349

350mm Chop Saw Discs

Low-speed cut-off disc for stationary drop saws. Suitable for metal, stainless steel, aluminium, and castings. Max speed: 4,400 RPM (80 m/s).

- Tools for professionals

KSCO350LS • \$15.64 inc gst



\$1360

Klingspor SMT624 Flap Disc bucket

15-piece 125mm flap disc bucket for steel and stainless steel. Aggressive stock removal with smooth operation. Includes 5 x 40G, 5 x 60G, and 5 x 80G discs.

- German quality

BUCKETSMT125 • \$148.35 inc gst



\$129

Quick Change Discs Sets

Convenient hang pack containing a variety of grades of discs with holder or just a refill pack. Available 50mm & 75mm

DIYQC050SET 50mm 7pc \$74.75 inc gst \$65
DIYQC050REFILL 50mm 10pc \$27.03 inc gst \$23.50
DIYQC075SET 75mm 7pc \$90.85 inc gst \$79
DIYQC075REFILL 75mm 10pc \$40.83 inc gst \$35.50



From \$48

Nylon Abrasit Cup Brush

Blue 180G abrasive nylon brush ideal for light deburring, surface finishing, and irregular profiles.

- Made in Italy

SIT624 • \$16.45 inc gst



\$1430



150mm Ceramic Sanding Discs

Features an advanced multi-purpose abrasive with ceramic, self-sharpening grain that resists dulling. Film backing provides superior tear resistance.

GALAXY1500060-GALAXY1500080 60-80G \$1.04 inc gst \$0.90
GALAXY1500120-GALAXY1500600 120-600G \$1.04 inc gst \$0.90



\$090



P&N 40 Piece Tap & Die Set

Available in metric and imperial. Made from carbon alloy steel for general DIY use only

- Bright finish for general purpose applications, non-ferrous metals & plastics



SKSETM40 • \$67.85 inc gst



Bi-Metal HSS Hacksaw Blades

Shatterproof, with superior cutting power & flexibility.

- 18 TPI: For 6-25mm materials eg pipe, angle iron & steel bar.
- 24 TPI: For 3-6mm materials eg conduit, heavy sheet metal & tubing.
- 32 TPI: For <3mm materials eg thin sheet metal & metal trim.
- 300mm hole centers to fit all standard size hacksaw frames.



HS104	300mm 18 TPI	\$2.76 inc gst	\$2.40
HS105	300mm 24 TPI	\$2.76 inc gst	\$2.40
HS106	300mm 32 TPI	\$2.76 inc gst	\$2.40

All Hard HSS Hacksaw Blades

Shatterproof, with superior cutting power & flexibility.

- 18 TPI: For 6-25mm materials eg pipe, angle iron & steel bar.
- 24 TPI: For 3-6mm materials eg conduit, heavy sheet metal & tubing.
- 32 TPI: For <3mm materials eg thin sheet metal & metal trim.
- 300mm hole centers to fit all standard size hacksaw frames.



HS100	300x13mm 18 TPI	\$2.53 inc gst	\$2.20
HS101	300x13mm 24 TPI	\$2.53 inc gst	\$2.20
HS102	300x13mm 32 TPI	\$2.53 inc gst	\$2.20



Sutton Hacksaw Frame 300mm

Professional, ergonomic two handed design in sturdy anodised aluminium, ideal for cutting and suitable for builders, tradesmen and DIY users.

- 90° and 45° blade angles
- Includes 300mm 24T HSS bi-metal blade



H3150300 • \$33.35 inc gst

Sutton Metric Step Drill Set 3 Piece

For sheet metal, aluminum, plastic, and fiberglass. Ideal for drilling without pre-drilling, with each step deburring the previous hole.

- Spiral flute for reduced vibration and better control
- M2 high-speed steel for strength and heat resistance



D504SET3 • \$205.85 inc gst

Sutton Drill Stand Metric

Machined from solid billet aluminium.

- Strong magnetic base for secure placement on metal surfaces
- Includes hole for Venom cutting fluid (M800 0250)



D10ACSM29	29 Holes	\$56.35 inc gst	\$49.00
D10ACSM98	98 Holes	\$109.25 inc gst	\$95.00



Plasma Arc Lighter

Windproof and waterproof plasma arc lighter with long-life lithium battery. Lightweight, durable, and ignites with a dual-beam electric arc at the push of a button.

- Waterproof and windproof up to 129 km/h (80 mph)
- USB rechargeable. No gas required (cable included)



JP211856 • \$34.39 inc gst



Lockjaw Locking Pliers

Traditional locking pliers need two hands to adjust, while these self adjusting pliers feature patented set and forget pressure control that adapts automatically for easy one handed use.

- Chrome vanadium steel for durability and rust resistance
- Set-and-forget pressure control adjusts clamp force from light to extreme



L2100150	Curved Jaw 175mm	\$50.60 inc gst	\$44.00
L2100250	Curved Jaw 250mm	\$60.95 inc gst	\$53.00
L2110250	Straight Jaw 250mm	\$60.95 inc gst	\$53.00
L2120175	Long Nose 200mm	\$52.90 inc gst	\$46.00



\$99.00

\$113.85 inc gst

POWERBUILT 1/2" DR 12PC MM DEEP IMPACT SOCKET SET

- Chrome moly steel, black oxide finish
- Offers Z-Drive contacting the flat walls of fasteners for stronger grip
- Packaged in a blow molded storage case
- Includes (6 point) 10mm to 21mm

KIT1155



\$285.00

\$327.75 inc gst

POWERBUILT 3/4" DR 8PC MM DEEP IMPACT SOCKET SET

- Chrome moly steel, black oxide finish
- Offers Z-Drive contacting the flat walls of fasteners for stronger grip
- Packaged in a metal storage case
- Includes (6 point) 26mm to 38mm

KBT0022

\$43.00

\$49.95 inc gst



POWERBUILT 175MM 4PC CIRCLIP PLIER SET

- Internal & external pliers for removing/ installing rings inside holes or on shafts
- Ideal for automotive, bike, and machinery repairs
- Includes internal and external straight nose, internal and external bent nose

COS1715

POWERBUILT 3PC HAMMER COMBO

- Includes 32oz Ball Pein Hammer
- 4lb Club Hammer, X-Long Handle
- 32oz 50mm Dead Blow Hammer

KITH0425

\$69.00

\$79.35 inc gst



ADJUSTABLE WRENCHES

- Chrome vanadium steel
- Features a metric scale on jaw for easy fastener size ID

PART #	SPEC	PRICE
644040HS	150mm	\$15.65
644041HS	200mm	\$19.00
644042HS	250mm	\$26.00
644043HS	305mm	\$33.90
940208HS	380mm	\$53.90
WES5011	450mm	\$79.10
WES5012	600mm	\$119.00



INCLUDES
ROLL UP
CANVAS
POUCH

\$86.00

\$98.90 inc gst

WELDCO 10PC LOCKING PLIER SET

- Ideal for metal fabrication, welding and car bodywork, firmly holds components prior to welding
- Includes long nose, curved jaw, sheet metal and c-clamps, in a canvas roll-up pouch

WDC0886

POWERBUILT 2.5 TON LOW PROFILE FAST-LIFT FLOOR JACK

Beneath those smooth lines lies a robust jack designed for lasting performance and durability.

- Ultra-low lifting range 85mm to 500mm
- Twin pump ram for smooth fast-lift
- 50mm Wide front wheels for extra stability
- Foot pedal for swiftly lift arm to vehicle contact point

JGS0683

\$450.00

\$517.50 inc gst



9.4KVA INVERTER GENERATOR

Protect your sensitive gear with pure sine wave technology. The ultimate site and home backup.

- Eco-throttle for greater fuel efficiency and lower noise
- Power heavy-duty motors, AC units, or welders
- Features a 15L tank for 9-hour runtime and a 32A plug for high-draw demands.

PBI9500X

\$2,345

\$2,696.75 inc gst



9 DR TOOL CHEST

- Easy move, ball bearing
- Internal locking system
- Overall size: 660x305x430mm

RMS6171

\$399.00

\$458.85 inc gst



\$799.00

\$918.85 inc gst

7 DR ROLL CABINET

- Easy move, ball bearing slides
- Internal lock system
- 2 fixed & 2 castor wheels
- Overall size: 680 x 460 x 1000mm

RMS6172

HEAD LIGHTS | WORK LIGHTS

RECHARGEABLE | CORDED

RAPTOR RAY

APEX SERIES RECHARGEABLE LED WORK LIGHT

Compact, high-intensity cordless lighting designed for versatility in tight spaces, offering the perfect balance of portability and raw illumination power.

RAPO478 10W 1,000LM
RAPO479 20W 2,200LM



RAPO478

\$51.30

\$59.00 inc gst

RAPO479

\$77.40

\$89.01 inc gst



FORCE SERIES RECHARGEABLE LED WORK LIGHT

Professional-grade rechargeable energy in an impact-resistant package, engineered to deliver massive lumen output for remote areas and rapid site movement.

RAPO480 30W 3,300LM
RAPO481 45W 5,000LM



RAPO480

\$108.70

\$125.01 inc gst

RAPO481

\$129.60

\$149.04 inc gst



SENTINEL SERIES CORDED LED WORK LIGHT

High-output, corded site lighting for long-duration projects. No batteries, no downtime—just unwavering, constant illumination for total site safety.

RAPO482 50W 6,500LM
RAPO483 100W 8,000LM



RAPO482

\$86.00

\$98.90 inc gst

RAPO483

\$129.60

\$149.04 inc gst

SPINO SERIES RECHARGEABLE LED HEAD LIGHT



SPINO-LITE 250 LUMENS | Focused clarity for the detail-oriented professional. This slim-profile beam is engineered to highlight fine structural details and trace complex wiring, providing a sharp “punch” of light exactly where you’re looking.

RAPO484

\$42.60

\$48.99 inc gst



SPINO-MAX 500 LUMENS | Eliminate glare and “punch through” heavy workshop grease. This precision-engineered beam is a surgical tool for mechanics, revealing hidden defects and hairline cracks in engine bays that standard lights wash out.

RAPO485

\$51.30

\$59.00 inc gst



SPINO-PRO 900 LUMENS | High-intensity “bite” for deep-cavity inspections. The definitive tool for heavy machinery and structural checks, delivering a powerful, concentrated beam that penetrates deep into mechanical voids.

RAPO486

\$60.00

\$69.00 inc gst



STINGER SERIES RECHARGEABLE LED HEAD LIGHT



STINGER 350 LUMENS | Total peripheral awareness with a weightless feel. The Stinger flood beam illuminates your entire workspace at once, removing the need for constant head movement when working in crawl spaces or ceiling voids.

RAPO487

\$39.00

\$44.85 inc gst



STINGER-MAX 350 LUMENS | Broad illumination meets heavy-duty durability. Engineered for the “rough-in” stage of construction, this flood light offers a reinforced housing and a wide-arc beam that stays stable on the harshest New Zealand jobsites.

RAPO488

\$60.00

\$69.00 inc gst



STINGER 450 LUMENS | Delivering optimised, full-workspace flood coverage from a balanced, rechargeable unit. Engineered to eliminate shadows across your entire peripheral vision while maximising battery endurance for long-durations.

RAPO489

\$51.30

\$59.00 inc gst



TALON SERIES RECHARGEABLE LED STICK LIGHT

Low-profile, high-impact stick lighting designed to slip into the tightest gaps. Engineered for the deep crevices of engine bays and industrial machinery where standard torches simply can't fit.

RAPO496 250LM
RAPO495 360LM

\$51.30

\$59.00 inc gst

\$68.70

\$79.01 inc gst



TALON SERIES RECHARGEABLE LED WORK LIGHT

600 LUMENS | Engineered with a slim, ergonomic profile designed specifically for a secure hand-grip. It's the perfect size for one-handed operation in tight quarters, while the integrated magnetic base allows for instant, stable mounting when the job requires both hands.

RAPO497

\$86.00

\$98.90 inc gst



TALON SERIES RECHARGEABLE LED SPOT LIGHT

1500 LUMENS | High-intensity lighting meets surgical precision. Engineered with a powerful forward-facing spot beam to illuminate distant components and deep mechanical voids, making it the definitive tool for heavy machinery and vehicle inspections.



RAPO490

\$86.00

\$98.90 inc gst

ARCOPRO®

MIG200 3-in-1 Inverter Welder VRD Select

- 200A 3-in-1 multi-process welder
- Synergic and manual MIG
- Stick welding with selectable VRD
- DC Lift-TIG (optional torch) for mild and stainless steel
- LED digital screen
- 10A domestic plug

\$749



ARCOMIG200 • \$861.35 inc gst

ARCOMMA200 200A Inverter Stick Welder

- 200A inverter Stick welder
- Single phase with 15A plug
- Automatic hot start, arc force and anti-stick
- DC Lift-TIG with optional TIG torch

\$349



ARCOMMA200 • \$401.35 inc gst

3-in-1 220A Multi-Process Welder

- 220A Stick, MIG and Lift-TIG welder
- Fits 5kg and 15kg spools
- Single phase with 15A plug
- Includes electrode holder, MIG torch, regulator and more

\$1,450



ARCOMULTIMIG220 • \$1,667.50 inc gst

MIG350 Inverter MIG - Stick - TIG 3-in-1 Welder

- 350A 3-in-1 multi-process welder with separate wire feeder
- Stick and Lift-TIG function
- Three-phase 20A supply
- Supplied with electrode holder, MIG torch, regulator and more

\$4,695



ARCOMIG350SWF • \$5,399.25 inc gst

MIG500 Inverter MIG - Stick - TIG 3-in-1 Welder

- 3-in-1 multi-process welder with separate wire feeder
- Stick and Lift-TIG function
- Three-phase 20A supply
- Supplied with electrode holder, MIG torch, regulator and more

\$4,995



ARCOMIG500SWF • \$5744.25 inc gst

Mild Steel MIG Wire Spools

- Available in 5kg spools for compact and portable MIG machines
- or 15kg spools for workshop use and large scale fabrication
- Ideal for fabrication of thin gauge steels, general steel construction and fabrication of structural steel
- ER70S-6 classification

From \$45



ARCO70S60.8SP5	0.8mm	\$51.75 inc gst	\$45
ARCO70S60.9SP5	0.9mm	\$51.75 inc gst	\$45
ARCO70S60.8SP15	0.8mm	\$66.70 inc gst	\$58
ARCO70S60.9SP15	0.9mm	\$66.70 inc gst	\$58
ARCO70S61.0SP15	1.0mm	\$66.70 inc gst	\$58
ARCO70S61.2SP15	1.2mm	\$66.70 inc gst	\$58

Large View Welding Helmet

- True colour four sensor professional filter
- Large viewing area 100x53mm
- Variable shade: 5-8 (plasma) and 9-13 with grind function

\$89



ARCOBLACK • \$102.35 inc gst

Flux Cored MIG Wire 1.2mm 15kg

- All position flux-cored wire for use with CO2 shielding gas
- Single and multi-pass welding of low to medium carbon steels
- Easy slag removal
- E71T-1C classification

\$65



ARCOE71T1C1.2SP15 • \$74.75 inc gst

MIG Consumable Kits

- All the usual spares you need for your MIG torch
- Kits include tips, tip holders, nozzles, diffusers and retaining springs

From \$24.90



ARCOBINZKITMB15	150A 14pc	\$28.635 inc gst	\$24.90
ARCOBINZKITMB24	250A 16pc	\$36.80 inc gst	\$32
ARCOBINZKITMB25	200A 19pc	\$56.35 inc gst	\$49
ARCOBINZKITMB36	300A 16pc	\$67.85 inc gst	\$59



Evolution Vision65F Welding Helmet

- Flip-up design
- High-impact and heat-resistant nylon shell
- UHD display - 1/1/1/1 classification
- 4-8 and 9-14 shade adjustment
- Clear grinding lens with wide 65x96mm viewing area



\$595

BOH87127 • \$684.25 inc gst

Evolution Welding Respiratory Kit

- Ready to use Evolution 65F welding respiratory kit



\$2,250

BOH88481 • \$2,587.50 inc gst

Big Vision Grinding Visor

- High-impact and heat-resistant nylon shell
- Wide viewing area 180x160mm for unrestricted field of vision
- Lightweight with comfortable headgear and quality sweatband



\$75

BOH73280 • \$86.25 inc gst

Anti-Spatter Spray 400ml

- Prevents spatter on workpieces and welding torches
- Unique formulation and viscosity means it offers exceptional adhesion to metal surfaces
- 360° valve - can be applied in all positions
- Non-flammable
- No residue
- Biodegradable



\$14.60

BOH63660 • \$18.86 inc gst

AC/DC Tig Welder Uranos NX2200ACDC

- Single phase 220A
- User panel with 3,5" LCD graphic colour display.
- TIG AC and DC HF welding
- Up to 240 personalised programs



\$POA

BOHURANOSNX2200AC/DC • \$POA inc gst

Cast Iron Electrodes - Handy 1kg Pack

- Pure nickel electrode for cold welding grey and malleable cast iron, and for joining them to steel, copper, and copper alloys.
- Ideal for repair and maintenance, often used with ferronickel type UTP 83 FN, with UTP 8 as a buttering layer.



\$89

BOH85FNCI3.2VP • \$102.35 inc gst

150A HF TIG Welder Kit

Smallest DC pulsed TIG machine on the market and certainly punches above its weight

- High frequency ignition
- Single phase with 15A plug
- Lightweight at just 3.9kg
- Everything you need for TIG welding in a suitcase



\$2,695

BOHURANOS1500TLH • \$3,099.25 inc gst

Diamond Spark 52RC Mixed/CO2 Seamless Flux Cored MIG Wire

- Premium seamless copper-coated fluxcored wire for multi-purpose applications on low and medium alloyed steels
- Shipyards, bridge constructions, buildings (D1.8 Seismic Supplement approved)
- For use with Argon-CO2 shielding gas or pure CO2
- 15kg spool



\$195

BOHDSSEAMLESS52RC1.2 • \$224.25 inc gst

Fox EV50 Low Hydrogen Electrodes 5kg

- Basic coated electrode, engineered for high-quality welds
- Excellent strength and toughness properties down to -40°C
- Good weldability in all positions except vertical-down
- Moisture resistant coating
- E7018-1H4R classification



From **\$84**

BOH7018H4REV502.5 2.5mm \$96.60 inc gst \$84
BOH7018H4REV503.2 3.2mm \$108.10 inc gst \$94



ANTI-SLIP COATING

Heavy Duty Anti-Slip Coating - 4L

Single component, epoxy ester non-slip floor and surface coating designed for application in areas of heavy pedestrian traffic.

- Easy and fast to apply by brush or roller and offers optimum adhesion to concrete and metal surfaces.
- Chemical resistant
- Suitable for pedestrian ramps, stairways, walkways and anti-slip areas around machinery

\$279



E460005	Dark Grey	\$320.85 inc gst	\$279
E460004	Light Grey	\$320.85 inc gst	\$279
E460006	Yellow	\$320.85 inc gst	\$279

RAPID SET CONCRETE REPAIR



BEFORE



AFTER



Highway Patch 15Kg

A rapid set cement mortar for repairing footpaths, driveways, damaged paving and tiles.

- Fast cure - minimum shutdown for traffic and pedestrians.
- Just add water.
- High bond strength, precision non-shrink, very rapid strength gain

\$149

E991605 • \$171.35 inc gst



Titanium Putty 450g

Titanium reinforced epoxy for making critical repairs to machinery and precision parts.

- Resistant to chemicals and most acids, bases, solvents and alkalis.
- Used for rebuilding shafts, keyways, bearing housings and other performance applications.

\$289



D10760 • \$332.35 inc gst

Aluminium Putty 500g

Aluminium filled epoxy putty for non-rusting repairs and rebuilding of aluminium parts and equipment

- Can be machined, drilled or tapped
- Bonds to aluminium, steel and many other metals as well as concrete.

\$239



D10610 • \$274.85 inc gst

Plastic Steel Putty 500g

Steel filled epoxy putty for general maintenance and repairs.

- For filling, rebuilding and bonding metal surfaces.
- Cures at room temperature.
- Non-shrinking and once set can be drilled, tapped, machined and painted.

\$169



D10110 • \$194.35 inc gst



CRC Brakleen Fast Dry

A powerful, fast drying, non-chlorinated solvent blend with superior cleaning and degreasing properties that minimise down-time

- Super-fast evaporating cleaner & degreaser
- Advanced non-chlorinated formula



CRC5083 600ml \$12.65 inc gst **\$11**
CRC5092 20L \$155.25 inc gst **\$135**

BONUS

KFC \$10 VOUCHER

with every specially marked 6 pack of

CRC Brakleen Blaster & KFC Promo Pack

The genuine Brakleen formula with a high-pressure spray to forcefully cut through and remove thick build-ups, hardened deposits and to clean hard-to-reach areas

CRC Brakleen & KFC Promo Pack

A potent cleaner and degreaser for brakes, clutches, and machinery. Dissolves grease, oil, and contaminants without disassembly

CRC Brakleen or CRC Brakleen **BLASTER**

\$65

CRC Brakleen Blaster & KFC Promo Pack

The genuine Brakleen formula with a high-pressure spray to forcefully cut through and remove thick build-ups, hardened deposits and to clean hard-to-reach areas



CRC5089-KFC • \$74.75 inc gst
*Visit www.crc.co.nz for terms and conditions.

CRC Brakleen & KFC Promo Pack

A potent cleaner and degreaser for brakes, clutches, and machinery. Dissolves grease, oil, and contaminants without disassembly



CRC5087-KFC • \$74.75 inc gst

CRC Brakleen Water Based 500G

Safe on the user and the environment. pH neutral, non-corrosive, solvent free, non-flammable, rust inhibitor, non-toxic, biodegradable

- Contains no volatile organic vapors, making it ideal for confined spaces



CRC1751843 • \$14.38 inc gst

CRC Brakleen Non-Flammable 550g

A powerful, heavy-duty cleaner and degreaser for brake, clutch parts and general mechanical equipment

- Non staining, non-corrosive, leaves no residue
- Non-Flammable



CRC5082 • \$10.58 inc gst

CRC Brakleen Non-Chlorinated 525ml

A powerful, heavy duty cleaner and degreaser for brake, clutch parts and general mechanical equipment.

- Doesn't contain silicone's or chlorinated hydrocarbons



CRC5084 • \$10.58 inc gst

CRC Exoff Food Grade Degreaser & Parts Cleaner

Offers next-generation high performance cleaning technology that is pH neutral, safe on surfaces, users and the environment. MPI approved for use at farm dairies and in dairy processing

- Safe on users and the environment, no dangerous fumes or smells



CRC3420 750ml \$16.79 inc gst **\$14.60**
CRC3423 20L \$243.80 inc gst **\$212**
CRC1758151200L \$1,907.85 inc gst **\$1,659**

CRC CO Contact Cleaner

A plastic-safe general-purpose evaporating cleaner and degreaser for use on sensitive electronic and electrical equipment.

- Leaves no residue. No rinsing or wiping needed
- Includes Permastraw® Dual-Action Spray System with one-piece, two-way actuator that keeps the straw in place



CRC2016 500ml CO \$25.99 inc gst **\$22.60**
CRC3102 400ml Food Grade CO \$30.13 inc gst **\$26.20**

Evapo-Rust Ready to Use

A non-toxic rust remover for fast and effective restoration. The award-winning formula is specifically designed to remove rust, with no scrubbing or sanding required.

- Powerful heavy-duty formula for even the toughest rust
- Reusable with long lasting efficacy
- Can be used on hardware, small tools, garden equipment, small household items, bicycle gearing and chains, fishing tackle, keys, antiques, small automotive parts, and more.



CRC1753336 500g \$20.13 inc gst **\$17.50**
CRCEVRC 1L \$15.30 inc gst **\$22**
CRCEVR5 5L \$52.67 inc gst **\$45.80**
CRCEVR20 20L \$184 inc gst **\$160**



GATES PREDATOR V BELTS



**FIND YOUR
LOCAL
BRANCH**

The Proven Choice for the Toughest Applications

When equipment operates under extreme loads, high heat, contamination and shock conditions, standard belts can fall short. Gates Predator V Belts are engineered to outperform in the most demanding industrial environments while delivering measurable cost savings and improved drive efficiency.

From agriculture and forestry to mining, construction and manufacturing, Predator belt drives have proven themselves where performance matters most.

Reduce Drive Costs, Width and Weight

Predator V Belts are designed to transmit significantly more horsepower per strand than standard V belts.

Compared to a conventional drive, Predator can deliver:

- Up to 35 percent reduction in total drive cost
- Up to 67 percent reduction in drive width
- Up to 50 percent reduction in drive weight
- 1.4 to 2.2 times more horsepower capacity per belt

By transmitting more power with fewer belts, Predator enables more compact drive designs that reduce strain on shafts, bearings and other costly components.



Built for Harsh Environments

Predator belts are specifically engineered for applications involving:

- High horsepower motors
- Sudden starts and stops
- Heavy shock loads
- Dirty or abrasive environments
- Exposure to oil and solvents
- Elevated ambient temperatures

They are REACH and RoHS 2 compliant.



Compact Drives That Save Space and Money

Because Predator belts transmit more horsepower per strand, drive systems can be redesigned using fewer belts and narrower configurations. The result is a more compact and lighter drive that lowers material costs and simplifies maintenance while maintaining equal or greater horsepower capacity.

For operations focused on uptime and total cost of ownership, this translates into long term savings, improved reliability and reduced downtime.



ENGINEERED FOR EXTREME PERFORMANCE

Stronger Than Steel Construction

Predator belts utilise aramid tensile cords that are pound for pound stronger than steel. This construction reduces belt stretch by up to 50 percent compared to standard V belts, improving load carrying capability and minimising the need for re-tensioning.

Curved Sidewall Design

The patented curved sidewall design allows the belt to enter and exit the sheave groove smoothly. This reduces sidewall wear on both the belt and the sheave, extending overall drive life.

Multi Layer Tie Band in PowerBand Constructions

Predator PowerBand belts feature a multi layer tie band that joins individual belts together. This provides lateral rigidity, reduces vibration and minimises belt turnover in multi groove sheaves under heavy shock loads.

Reduced Friction and Heat Build Up

An abrasive and puncture resistant bare back or double fabric cover helps reduce friction and heat under shock loading conditions, improving durability in harsh environments.

Oil and Heat Resistant Compound

Predator belts are manufactured with an oil and heat resistant chloroprene compound body rated up to 82 degrees Celsius. They meet ARPM IP 3 2 oil and heat resistance standards and are built to withstand contamination from oil and solvents.

Operating temperature range is minus 30° to plus 82°.

PREDATOR CROSS SECTIONS

	Classic	Narrow	Metric
SINGLES	AP, BO, CP	5VP, 8VP	SPBP, SPCP
POWERBANDS	CP	3VP, 5VP, 8VP	



GATES MEGACRIMP™ COUPLINGS



Engineered for Leak Free Performance in Demanding Hydraulic Applications

When uptime matters, connection integrity is critical. Gates MegaCrimp™ Couplings with patented C Insert technology are engineered to deliver a consistent, concentric and leak resistant seal, even in high pressure and extreme operating environments.

Patented C Insert Technology

At the core of MegaCrimp performance is the patented C Insert.

During crimping, the C Insert remains round while only the outer shell conforms to the crimp die. This prevents the polygon effect common in traditional fittings, where distortion can compromise sealing integrity.



Bite the Wire Design for Maximum Retention

MegaCrimp couplings are engineered with a tooth profile that bites directly into the wire reinforcement of the hose.

This design provides strong mechanical retention without relying solely on compression of the hose tube and cover.



Gates "Bite-the-Wire" design

Full Torque Nut Technology

Installation errors and over torquing are leading causes of hydraulic fitting failure. Gates Full Torque Nut Technology is designed to reduce these risks.

A larger holding shoulder distributes stress more evenly across the nut, lowering peak stress concentration and reducing the chance of cracking.



Advanced Corrosion Protection

MegaCrimp couplings feature Gates TuffCoat™ plating for superior corrosion resistance.

Salt Spray Performance
ASTM B117 and ISO 9227 Testing

SAE J516 standard requirement 144 hours to red rust

Gates TuffCoat 500 hours to red rust

Gates TuffCoat Xtreme 840 hours to red rust

TuffCoat provides significantly greater protection than industry minimum standards.

TuffCoat Xtreme is ideal for mining, agriculture, fertilizer exposure and other highly corrosive environments.

Enhanced corrosion resistance translates to longer service life, reduced maintenance and lower total operating costs.

Key Advantages

- Even distribution of crimping forces
- Concentric and reliable sealing surface
- Accommodates hose wall thickness variations
- One coupling family compatible with multiple Gates wire braid hoses
- Qualified to SAE, EN and ISO performance standards
- The result is simplified inventory, reduced leak potential and consistent assembly performance.

Benefits

- No skiving required
- Clear full insertion indication
- Controlled insertion force
- Coupling stability during crimping
- This construction helps eliminate common installation related leaks and improves long term reliability.

Performance Advantages

- Increased resistance to over torque damage
- Reduced likelihood of cracked nuts
- Fewer installation leaks
- Improved long term durability
- Greater equipment uptime

Proven Performance

- Tested to one million impulse cycles
- Designed for high pressure hydraulic systems
- One piece coupling construction for reliability
- Compatible with industry leading Gates hydraulic hoses

SUPER SPECIALS

HIT Cable Cutter

- Heavy duty cable cutters.
- Used for all types of cable

\$76



HCC20 • \$87.40 inc gst

Hitachi 800W 13mm Heavy-Duty Drill

- Perfect for electricians and plumbers to drill large holes
- Heavy-duty 13mm keyed chuck

\$289



D13VG • \$332.35 inc gst

Makita 18V Mobile Brushless Metal Cutter 150mm

- 150mm TCT saw blade delivering 57.5mm cutting depth
- Self-Dust collecting housing reduces scatter of metal chips
- High performance cutting with 4,100rpm no load speed
- Automatic Torque Drive increases torque to power through any cut
- Electric brake for fast yet gentle stopping of blade rotation

\$399



MAKDCS553Z • \$458.85 inc gst

Speedglas G5-03NC Pro Air Welding Helmet with Heavy-Duty Adflo™ PAPR

True view technology, extra-large viewing area with side windows, ergonomic 6 point adjustment head harness, industry leading protection, lightweight with rapid charge, adaptable filtration, heavy duty battery

\$1,799



637710 • \$2068.85 incl gst

Milwaukee M18™ Threaded Rod Cutter Skin Only

- Four-sided cutting dies allow you to cut multiple sizes of threaded rod on one tool by simply rotating the dies

\$619



M18BLTRC-OX • \$711.85 inc gst

Milwaukee 230mm Angle Grinder 2,200W

- Paddle lock-off dead man switch with rat tail grip
- Double action non lock on switch
- Tool-free adjustable guard

\$269




AGV22-230 • \$309.35 inc gst

Jamec Pem Automatic Tyre Inflator

- Automatic - simply set the desired pressure then connect the chuck on the valve
- Over pressure function for seating tyres on rim beads
- Two programmable preset buttons
- Auto on and off with rechargeable Li-Ion battery which lasts for 10-15 hours continuous

\$339



JP11.0612 • \$389.85 inc gst

GearWrench Bolt Biter Sockets 7-19mm 28pc

- Bi-directional design for removing or tightening damaged fasteners
- Dual sized sockets designed to work with both SAE and metric fasteners
- Square drive with hex base for use with impact guns, ratchets or wrenches
- Cr-Mo construction for strength and durability
- Minus-size sockets fit a wider range of damaged fasteners

\$249



KD84784 • \$286.35 inc gst

Starrett Ultimate Holesaw Kit

- Super fast tool free changes between different diameters of holesaw and easier core ejection
- No adjustment of drill chuck required
- Suitable for use where multiple size holesaws are being used constantly

\$120



KS2000-E1-(A3) • \$138 inc gst

TIMKEN



Timken Timber Housed Units – SRB, TRB & Split CRB Solutions

Timken Timber Housed Units are engineered to perform in demanding sawmill and forestry environments. Designed to withstand heavy radial loads, shock loading, contamination and misalignment, these solutions are available in Spherical Roller Bearing (SRB), Tapered Roller Bearing (TRB), and Split Cylindrical Roller Bearing (CRB) configurations.

With rugged housing designs, advanced sealing systems and multiple shaft locking options, Timken housed units help maximise uptime, reduce maintenance frequency and improve reliability in harsh timber processing environments.

- Available in SRB, TRB, and Split CRB configurations
- Designed for heavy-duty timber applications
- Handles high radial loads and shock loading
- Options for combined radial and axial loads (TRB designs)
- Split-to-the-shaft designs available for easier installation and maintenance
- Accommodates shaft misalignment (SRB designs)
- Robust sealing systems to protect against sawdust, debris, and moisture
- Heavy-duty housings for demanding mill environments
- Designed for relubrication and extended operating life

Spherical Roller Bearing Solid Block Housed Units

Cast steel housings with high-performance spherical roller bearings deliver outstanding durability in extreme conditions, including severe shock loads and vibration.

Spherical Roller Bearings

Known across industries for reliability, durability and performance, Timken® spherical roller bearings can help lower operating costs by reducing maintenance intervals and extending bearing life. In side-by-side life testing under identical conditions, Timken bearings perform more consistently than our competitors' leading products.

- Longer lubricant and bearing life from cooler operating temperatures.
- Positive axial roller guidance and improved oil lubricant flow due to optimised internal geometries.

Tapered Roller Bearings

Not all bearings will face unforgiving conditions like huge payloads or high-contaminant environments. But when they do, Timken tapered roller bearings can handle the burden – with thousands of combinations in single-, double and four-row configurations to manage both radial and thrust loads.

Split Cylindrical Roller Bearings

Minimise drag. Reduce heat. And perform better, for longer, with less maintenance and downtime.





Fully Compatible Protection System Built on the 3M™ X5000 Helmet Platform. Visors, visor holders*, and 3M™ PELTOR™ earmuffs are designed to integrate seamlessly with the X5000 helmets creating a complete, fully accessorised head protection solution.

*Without PELTOR™ earmuffs or comms you'll also need to purchase the P3E Adaptor to attach all visor types to the helmet.

3M™ SecureFit™ Safety Helmet X5000 Series

- Increased comfort and security
- Meets ANSI Z89.1
- Uses a proprietary, climbing helmet-inspired design
- 6-point ratchet suspension system incorporates exclusive patented Pressure Diffusion Technology
- Proprietary UVicator sensor indicates when to replace helmet due to UV exposure
- Customisable fit across 15 adjustment settings
- Works with a variety of 3M faceshields, earmuffs, and other accessories

3MX5001VE-CE White \$155.25 inc gst **\$135**
3MX5014VE-CE HV Green \$155.25 inc gst **\$135**

\$135



3M™ PELTOR™ ProTac III MT13H220P3E, Slim Headset, Black

- Environmental microphones for level-dependent hearing protection and ambient listening SLC₈₀ 24dB (Class 4)
- 3.5 mm listen-only stereo input (limited to 82 dB) for connection to external devices
- Voice-guided menu system avoids the need to remove the headset for setting changes
- Auto power off turns headset off after 4 hours of non-use, to save energy and a low-battery warning informs when to change batteries
- Available in two different cup sizes: Slim & Regular Versions
- To reduce the corrosion caused by sweat the electronics are located in the outer part of the cup
- Compatible with 3M™ SecureFit™ Safety Helmet X5000 Series
- Complies with Australian/New Zealand Standard AS/NZS 1270:2002

3MMT13H220P3E • \$179.40 inc gst

\$156



3M™ Faceshield Holder FH1 for 3M™ X5000 Safety Helmet

- Durable and heat resistant
- Easy and quick to use
- Can be used with 3M™ Peltor™ X-Series Earmuffs
- Meet the impact requirements of AS/ NZS 1337.1. Medium Impact
- Compatible with 3M™ Faceshield including 5F-11, WP98, WP96, 5E-11, 5B & 5C visors
- Requires a P3E 30mm earmuff slotted adaptor (sold separately) to attach to X5000 helmet

\$30



3MFH1 • \$34.50 inc gst

3M™ Faceshield 5 Series 5F-11, Polycarbonate

- Scratch resistant and anti-fog treated on both sides for the maximum field of view
- Optical class 1, clear curved polycarbonate
- Compatible with 3M™ Faceshield Holder FH1
- Provides increased protection against high speed particles (190m/s)

\$39



3M5F-11 • \$44.85 inc gst

3M™ PELTOR™ X4P3GS/E Earmuffs Helmet Attached

- SLC₈₀ 28 dB (Class 5)
- Lightweight, lower-profile earmuff helps with compatibility with other personal protective equipment
- Complies with Australian/New Zealand Standard AS/NZS 1270:2002
- Compatible with 3M™ SecureFit™ Safety Helmet X5000 series with an E Blade (30mm) in box
- 3M developed ear cushion foam technology for an effective acoustic seal and reliable protection
- Replaceable ear cushions and foam liners (hygiene kit HYX4)

\$59



3MX4P3GS/E • \$67.85 inc gst

Limited Cubitron 3 Cut-off Wheel Tin (50)

Each tin includes 50 x Cubitron™ 3
125mm x 1mm Cut-off Wheels

**AVAILABLE WHILE
STOCKS LAST**

3M125X1C3TIN50 • \$138 incl gst



3M™ Cubitron™ 3 Cut-Off Wheels


Designed to provide high cut rates and long life to help reduce cost.

- Creates perpendicular cuts using the outer edge of the wheel, making them ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners, and more
- Delivers up to 10% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done
- 3M™ Cubitron™ 3 Cut-Off Wheels offers a high-performance option for metal cutting. Built with 3M precision-shaped grain, they are designed to cut faster, last longer, and require less pressure than conventional abrasive wheels. The technology breakthrough means that they cut up to 10% faster and last up to 3X longer compared to the previous Cubitron™ 2 Cut-Off Wheels.




3M86647	125mm x 1 mm x 22.23 mm	\$3.34 inc gst	\$2.90
3M86457	125mm x 1.3mm x 22.23 mm	\$5.41 inc gst	\$4.70
3M86412	125mm x 1.6mm x 22.23 mm	\$4.60 inc gst	\$4
3M88732	230 mm x 2 mm x 22.23 mm	\$8.57 inc gst	\$7.45


3X Longer life³



33% Less hand-arm vibration³



10% Faster cut³




Results are based on an automated cutting of a 3mm thick 304 stainless steel sheet. Cut-off wheel geometry is 125mm x 1.6mm x 22mm mounted on a 1.5 hp angle grinder with an applied force of 9 lbs. Cut speed is defined by time needed to cut 1 meter of stainless steel. The number of cuts is estimated by the amount of wheel that was used after cutting a distance of 1 meter. End of life is assumed to be 50% of initial wheel mass

MOTION®



Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services.



Find a location near you!

Scan the QR Code to find out more
or visit [Motion.co.nz](https://www.motion.co.nz)

SAECO Wilson
Bearings | Power Transmission | Engineering Supplies

SiL SEAL
INNOVATIONS

**Bay
Engineers
Supplies**

HCD
Flow Technology

WOSTE
SUPPLIES

C&T
CONVEYOR & TRANSMISSION

Prices are current for promotional period only and all goods are subject to availability. Where promotional goods are sold out, we will endeavour to locate goods of equivalent value where possible. Prices are subject to change without notice. We have been as accurate as reasonably possible while providing product descriptions and pricings. However, we do not warrant that descriptions or prices are complete, reliable or error-free. Non-stocked promotional goods may be subject to additional freight charges.